

# Sew4cons


Jacquelyne Aubuchon 2011

Key:

Small .....  
Medium - - - - -  
Large - - - - -

## Men's S-M-L

Key:

1 Inch = 

Pattern untested, please let me know if you make this, I'd love pictures, comments, suggestions.

Note: If you would prefer drawstring pants, just sew two button holes in casing area before folding over and stitching down. Then run desired drawstring through casing instead of elastic.

www.sew4cons.com

Pattern should print  
36" x 48"

# 2

Pants  
Men's  
Sew4Cons  
Front  
Cut 2

1

Pants  
Men's  
Sew4Cons  
Back  
Cut 2

must add seam allowances

must add seam allowances

If you have problems with this pattern,  
please contact me at:  
[Jacquelyne@sew4cons.com](mailto:Jacquelyne@sew4cons.com)  
for help.

Instructions:

1. Add seam allowances before cutting.
2. With right sides facing, sew pieces 1 and 2 together along outside seams of leg.
3. Turn one leg inside out.
4. With right sides together, sew crotch seam from front to back.
5. Fold over top 2 inches and stitch down leaving room to insert elastic on one end.
6. Measure elastic around waist, cut to length. Insert in casing and sew ends together.
7. Finish sewing casing when good fit is achieved with elastic.
8. Roll hem on bottom and sew.

Supplies:

2 yards 60" wide fabric  
Thread  
1 package 1" non roll elastic

Sizing Guide:

Small: Hip 39"  
Medium: Hip 43"  
Large: Hip 47"